



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/727,306	12/03/2003	Douglas B. Wilson	114089.120	5202
23483	7590	11/26/2007		
WILMERHALE/BOSTON 60 STATE STREET BOSTON, MA 02109			EXAMINER LUONG, VINH	
			ART UNIT 3682	PAPER NUMBER
			NOTIFICATION DATE 11/26/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

michael.mathewson@wilmerhale.com
teresa.carvalho@wilmerhale.com
sharon.matthews@wilmerhale.com

Office Action Summary

Application No.

10/727,306

Applicant(s)

WILSON, DOUGLAS B.

Examiner

Vinh T. Luong

Art Unit

3682

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 October 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14-28 is/are pending in the application.
- 4a) Of the above claim(s) 20-23, 25, 26 and 28 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14-19, 24 and 27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.


Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.


Vinh T. Luong
Primary Examiner

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 10/30/07.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☒ Other: Attachments 1-3.

1. A request for continued examination under 37 CFR 1.114 was filed in this application after appeal to the Board of Patent Appeals and Interferences, but prior to a decision on the appeal. Since this application is eligible for continued examination under 37 CFR 1.114 and the fee set forth in 37 CFR 1.17(e) has been timely paid, the appeal has been withdrawn pursuant to 37 CFR 1.114 and prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on October 30, 2007 has been entered.
2. The amendment filed on August 3, 2006 has been entered.
3. Applicant's election without traverse of the species of Figs. 1, 3, and 4 in the reply filed on January 30, 2006 in the parent application is carried over to the instant RCE application.
4. Claims 20-23, 25, 26, and 28 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on January 30, 2006.
5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
6. Claims 14-19, 24/14, and 27/14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The term "rigid," "semi-rigid," "flexible," or "non-deformable" in claims 14 and 27 is a relative term, which renders the claim indefinite. The term "rigid," "semi-rigid," "flexible," or "non-deformable" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. See *Fredman v. Harris-Hub Co., Inc.*, 163 USPQ 397

(DC N III 1969)(“Flexibility” and “rigidity” are relative terms, particularly since virtually any thing will flex if enough pressure is applied to it). It is unclear, e.g., what range of Rockwell hardness of the material of the second section is required so that the second section is considered as being “rigid,” “semi-rigid,” “flexible,” or “non-deformable.” In other words, it is unclear what objective test(s) is(are) required in order to determine whether the second section is “rigid,” “semi-rigid,” “flexible,” or “non-deformable.”

7. Claims 14-17, 19/17, 24/14, and 27/14, as best understood, are rejected under 35 U.S.C. 102(b) as being anticipated by Van Arsdel (US Patent No. 2,118,540).

Regarding claim 14, Van Arsdel teaches a fatigue relieving/preventing apparatus associated with a steering wheel 3 for controlling a vehicle, comprising:

a first section 4 (i.e., a horizontal section) that connects to a peripheral portion of the steering wheel 3; and

a rigid, semi-rigid or flexible, or non-deformable second section 2 that connects to, and extends from the first section 4 at the peripheral portion of the steering wheel 3, the second section 2 extends from the first section 4 outward at an angle (see angle α in Figs. 3 and 5 of Attachment 1) to a plane (Att. 1) across a front face of the steering wheel 3, the second section 2 for supporting at least a portion of a vehicular operator's body when pressure from the portion of the vehicular operator's body on the second section 2 is less than the pressure for deforming the second section 2 out of interference with the vehicular operator's ability to operate the steering wheel 3, and deforming out of interference with the vehicular operator's ability to operate the steering wheel 3 when pressure from the portion of the vehicular operator's body on

the second section 2 is equal to or greater than the pressure for deforming the second section 2 out of interference with the vehicular operator's ability to operate the steering wheel 3.

Regarding claim 15, the steering wheel 3 includes a steering wheel 3 for controlling at least a nautical vessel, aircraft, or ground transportation vehicle.

Regarding claim 16, the portion of the body supported by the second section includes at least a forearm, wrist, or hand.

Regarding claim 17, the first section 4 extends a length of a predetermined peripheral portion of the steering wheel 3.

Regarding claim 19/17, the first section 4 is deformable. Note that virtually any thing will be deformed if enough pressure is applied to it. See "flexibility" in *Fredman v. Harris-Hub Co., Inc., supra*.

Regarding claim 24/14, each first section 4 is formed integral with the steering wheel 3. It is well settled that the term "integral" is not restricted to a one-piece article. The term "integral" is sufficiently broad to embrace constructions united by such means as fastening and welding. See *In re Hotte*, 177 USPQ 326 (CCPA); *In re Clark*, 102 USPQ 241 (CCPA); *In re Dike*, 157 USPQ 581 (CCPA); *In re Kohno*, 157 USPQ 275 (CCPA); and *In re Morris*, 43 USPQ2d 1753, 1757 (CAFC 1997).

Regarding claim 27/14, the first section 4 is flexible, rigid, or semi-rigid, or non-deformable. See "flexibility" in *Fredman v. Harris-Hub Co., Inc., supra*.

8. Claims 14-17, 19/17, 24/14, and 27/14, as best understood, are rejected under 35 U.S.C. 102(b) as being anticipated by Anson (US Patent No. 2,134,020).

Regarding claim 14, Anson teaches a fatigue relieving/preventing apparatus associated with a steering wheel 10 for controlling a vehicle, comprising:

a first section 13 that connects to a peripheral portion of the steering wheel 10; and
a rigid, semi-rigid or flexible, or non-deformable second section 11 that connects to, and extends from the first section 13 at the peripheral portion of the steering wheel 10, the second section 11 extends from the first section 13 outward at an angle (see angle α in Fig. 8 of Attachment 2) to a plane (Att. 2) across a front face of the steering wheel 10, the second section 11 for supporting at least a portion of a vehicular operator's body when pressure from the portion of the vehicular operator's body on the second section 11 is less than the pressure for deforming the second section 11 out of interference with the vehicular operator's ability to operate the steering wheel 10, and deforming out of interference with the vehicular operator's ability to operate the steering wheel 10 when pressure from the portion of the vehicular operator's body on the second section 11 is equal to or greater than the pressure for deforming the second section 11 out of interference with the vehicular operator's ability to operate the steering wheel 10.

Regarding claim 15, the steering wheel 10 includes a steering wheel 10 for controlling at least a nautical vessel, aircraft, or ground transportation vehicle.

Regarding claim 16, the portion of the body supported by the second section includes at least a forearm, wrist, or hand.

Regarding claim 17, the first section 13 extends a length of a predetermined peripheral portion of the steering wheel 10.

Regarding claim 19/17, the first section 13 is deformable. Note that virtually any thing will be deformed if enough pressure is applied to it. See "flexible" in *Fredman v. Harris-Hub Co., Inc., supra*.

Regarding claim 24/14, each first section 13 is formed integral with the steering wheel 10. See *In re Hotte; In re Clark; In re Dike; In re Kohno; and In re Morris, supra*.

Regarding claim 27/14, the first section 13 is flexible, rigid, or semi-rigid, or non-deformable. See "flexible" in *Fredman v. Harris-Hub Co., Inc., supra*.

9. Claims 14, 18, and 19/18, as best understood, are rejected under 35 U.S.C. 102(b) as being anticipated by Laubach (US Patent No. 1,575,848).

Regarding claim 14, Laubach teaches a fatigue relieving/preventing apparatus associated with a steering wheel 1 for controlling a vehicle, comprising:

- a first section 7, 8 that connects to a peripheral portion of the steering wheel 1; and
- a rigid, semi-rigid or flexible, or non-deformable second section 10 that connects to, and extends from the first section 7, 8 at the peripheral portion of the steering wheel 1, the second section 10 extends from the first section 7, 8 outward at an angle (see angle α in Fig. 2 of Attachment 3) to a plane (Att. 3) across a front face (Att. 3) of the steering wheel 1, the second section 10 for supporting at least a portion of a vehicular operator's body when pressure from the portion of the vehicular operator's body on the second section 10 is less than the pressure for deforming the second section 10 out of interference with the vehicular operator's ability to operate the steering wheel 1, and deforming out of interference with the vehicular operator's ability to operate the steering wheel 1 when pressure from the portion of the vehicular operator's

body on the second section 10 is equal to or greater than the pressure for deforming the second section 10 out of interference with the vehicular operator's ability to operate the steering wheel 1.

Regarding claim 18, the second section 10 includes at least two second sections (Fig. 1) that each connect to the first section 7, 8 at separate locations.

Regarding claim 19/18, the first section 7, 8 is deformable. Note that virtually any thing will be deformed if enough pressure is applied to it. See "flexible" in *Fredman v. Harris-Hub Co., Inc., supra*.

10. Claims 14-19, 24/14, and 27/14, as best understood, are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 20-28 of copending Application No. 10720821 (Appl.'821).

Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 14-19, 24/14, and 27/14 of this application and claims 20-28 of Appl.'821 claim common structures such as a first section and a second section connected to the first section. To the extent that claims 14-19, 24/14, and 27/14 in this application call for the second section being rigid, semi-rigid or flexible, or *non-deformable*, meanwhile, claims 20-28 in Appl.'821 call for the second section being *deformable*, however, the terms rigid, semi-rigid, flexible, non-deformable, and deformable are relative terms. In fact, when the second section is rigid, semi-rigid, or flexible, it inherently is deformed if enough pressure is applied to it. Alternatively, when the second section is deformable, it inherently is flexible. See *Fredman v. Harris-Hub Co., Inc., supra*. On the other hand, it is well settled that selection of known material suitable for its intended purpose would have been obvious. *In re Leshin*, 125 USPQ 416 (CCPA 1960) and MPEP 2144.07.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to choose the material of the second section claimed in claims 14-19, 24/14, and 27/14 of this application such that it is deformable as claimed in claims 20-28 of Appl.'821 in order support a portion of the vehicular operator's body as taught or suggested by common knowledge in the art. *In re Leshin, supra*.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

11. Applicant's arguments filed October 31, 2006 and September 10, 2007 have been fully considered but they are not persuasive.

A. General

The Examiner respectfully submits:

As noted in MPEP 2111, during patent examination, *claims are given their broadest reasonable interpretation consistent with the specification*. It is proper to use the specification to interpret what the Appellant meant by a word or phrase recited in the claim. However, *it is not proper to read limitations appearing in the specification into the claim when these limitations are not recited in the claim*. See *In re Paulsen*, 30 F.3d 1475, 1480, 31 USPQ2d 1671, 1674 (Fed. Cir. 1994); and *Intervet America Inc. v. Kee-Vet Lab. Inc.*, 887 F.2d 1050, 1053, 12 USPQ2d 1474, 1476 (Fed. Cir. 1989). (Emphasis added).

B. The Claims are Indefinite

The rejection under 35 USC 112, second paragraph, in this case is proper because the reason is simply that during patent prosecution, the claims can be amended to remove the ambiguities. *In re Zletz*, 13 USPQ2d 1320, 1322 (CAFC 1989). In fact, our reviewing Court in *Zletz* emphasized:

An essential purpose of patent examination is to fashion claims that are *precise, clear, correct, and unambiguous*. Only in this way can uncertainties of claim scope be removed, as much as possible, during the administrative process.

Thus, the inquiry during examination is patentability of the invention as “the applicant regards” it, and if the claims do not “particularly point out and distinctly claim”, in the words of section 112, that which examination shows the applicant is entitled to claim as his invention, *the appropriate PTO action is to reject the claims for that reason*. (Emphasis added).

Regarding Appellant’s reliance on extrinsic evidence, such-as, *Ninth New Collegiate Dictionary*, the Examiner respectfully submits that the specification is the single best guide to the meaning of a claim term. *Phillips v. AWH Corp.*, 415 F.3d 1303, 1315 [75 USPQ2d 1321](Fed. Cir. 2005)(*en banc*). See also, *e.g.*, the meaning of the term “adjustable” in *Curtiss-Wright Flow Control Corp. v. Velan Inc.*, 77 USPQ2d 1988 (Fed. Cir. 2006). Since Appellant’s specification does not provide a guidance as to, *inter alia*, (a) what type of material(s) is(are) considered to be “rigid, semi-rigid, or flexible, or non-deformable”; and (b) what objective test(s) is(are) required in order to determine whether a material is “rigid, semi-rigid, or flexible, or non-deformable.” Thus, Appellant’s claims are *unclear and/or ambiguous*.

C. Van Arsdel

At the outset, Appellant’s arguments are not based on the limitations appearing in the claims. *In re Self*, 213 USPQ 1, 5 (CCPA 1982). In fact, Appellant’s claim 14 recites “*a rigid, semi-rigid or flexible, or non-deformable second section* that connects to, and extends from the first section outward at an angle to a plane across a front face to the steering wheel.” It is clear from claim 14 that it requires the second section of the handgrip, *not* the handgrip *per se*, extends

from the first section outward at an angle to the plane across the face of the steering wheel. Therefore, Appellant's contention that the grip rest of Van Arsdel is in a plane parallel with the one across the face of the steering wheel on page 8 of the brief is immaterial to the patentability of the claim. The issue is not whether Arsdel's grip rest is disposed at an angle relative to the plane across the face of the steering wheel. Rather, the issue is whether Arsdel teaches the second section that connects to and extends from the first section outward at an angle relative to the plane across the face of the steering wheel.

In the case at hand, on page 1, right column, lines 13-28, Arsdel describes: "[t]he grip rest 2 is *concave* longitudinally and about half of the rest extends over and part way across the steering wheel rim 3 in a manner to slope downwardly and inwardly of the rim. The outer edge 4 of the side, and 5 of the rear end of the *concave*, located above the rim, *extends up into a marginal flange* to be contacted by the inside of the ball of the thumb or by the bottom of the hand, depending upon which part of the hand is seated to rest." See also Arsdel's claims 1 and 2. Arsdel's concave upward section 2 extends from the first section 4 outward at an angle α to the plane across the face of the steering wheel as seen in Figs. 3 and 8 of Attachment 1 of the final action. Therefore, Arsdel's concave upward section 2 in Fig. 3 of Arsdel "reads on" Appellant's claimed second section.

In addition, Appellant's contention that "[o]nce the grip-rest of Arsdel's handgrip is in place, it is *fixed*, and does not move" is unsupported by substantial evidence in the record. Indeed, on page 1, right column, line 49 through line 2, left column, page 2, Arsdel expressly describes:

My improved grip-rest may be formed integrally with the rim of the steering wheel as shown in Fig. 8, but I prefer to make it *removable* as an attachment for any make of car and also to make it *adjustable* to suit the requirements or fancy of the driver. (Emphasis added).

Particularly, Appellant's contention is in direct conflict with Arsdel's description on page 2, left column, lines 28-32:

The grip rest *may be shifted* along the length of the rim, or vertically around it by reversing the screw sufficiently to permit *change of the rest to the new position*, where it will be held again by tightening up on the screw. (Emphasis added).

Simply put, Arsdel explicitly teaches that the driver may loosen the screw 14 in Fig. 6 so that it is *deformable* in order that the driver can put extensive pressure on it and *it will move* for steering the automobile.

The support in the description of Arsdel for the statement that the second section will deform out of the interference with the operation of the steering wheel is found on page 2, left column, lines 28-32. By loosening or reversing the screw 14 sufficiently to permit Arsdel's second section 2 shifted vertically around the rim 3, the second section can be at the new position wherein the second section does not interfere with the operation of the steering wheel to suit the requirements or fancy of the driver.

D. Anson

The thrust of Appellant's arguments is that Anson is missing at least the deforming element of claim 20. See first paragraph on page 12 of the brief. However, claim 20 is withdrawal claim. Therefore, the Examiner assumes that Appellant intended to mean claim 14.

The instant assertion is likewise unsupported by substantial evidence in the record. In fact, Anson's grip is made of flexible or semi-rigid material, therefore, Anson's grip is deformable or deflectable out of interference with the vehicular operator's ability to operate the steering wheel, *i.e.*, out of the normal position. See page 2, right column, and lines 25-40, quoted below:

In the modification illustrated in Figs. 4 and 6, neck 12 is constructed of a rubber composition having the same desired characteristics of pliability and semi-rigidity described in connection with the form illustrated in Figs. 1 and 2 and described above. The hand grip portion 11, however, may be made of solid material such as metal, and is detachably connected to neck 12. While this modification does not possess the degree of hand gripping comfort inherent in the principal modification, nevertheless, by virtue of the pliability and semi-rigidity of the neck portion; this type of attachment will also provide the advantages of *ready deflection from the normal position* while affording positive control of the wheel movements. (Emphasis added).

In addition, on page 1, left column, line 48 through line 32, right column, Anson expressly describes: "a means for attachment to the steering wheel, whereby *the device may be readily attached to, or removed from, the wheel, and which may be quickly and easily shifted to various positions on the wheel as dictated by the degree of driving comfort desired.*"

Particularly, on page 2, left column, lines 62-72, Anson teaches:

At the same time, if it becomes desirable to move the attachment to a different position on the wheel rim, a slight movement of the grip portion toward the wheel rim will loosen the contact of strap 13 therewith, and the attachment can then be easily shifted to some other position on the wheel. Similarly, *the attachment may be rotated about the wheel rim* from its normal pendent position to a *position within the periphery of the wheel* when it becomes desirable to dispense with its use in operating the wheel. (Emphasis added).

As evidenced by the above quotations, Anson explicitly states that the driver may rotate Anson's attachment/handgrip about the wheel rim 10 to a position within the periphery of the wheel, *i.e.*, to a position shown in Appellant's Fig. 4 when the driver so desires. Anson's description reveals that Anson-type-attachment is operated in a similar manner to what is claimed in claim 14. As such, a person of ordinary skill in the art would find that there is a teaching in Anson in which the hand/other body part is supported by Anson attachment as claimed.

Further, since Anson's *attachment may be rotated about the wheel rim* from its normal pendent position to *a position within the periphery of the wheel* when it becomes desirable to dispense with its use in operating the wheel, Anson's attachment is capable to be rotated outward such that the second section 11 is at an angle from the plane across the face of the steering wheel and out of interference with the operation of the steering wheel as claimed.

On the other hand, it is well settled that a claim containing a "recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus" if the prior art apparatus teaches all the structural limitations of the claim. *Ex parte Masham*, 2 USPQ2d 1647 (Bd. Pat. App. Inter. 1987) and MPEP 2114. Since Anson teaches all structural limitations and the functional language in the claims. Therefore, Appellant's claims 14-17, 19/17, 24/14, and 27 are anticipated by Anson as a matter of law.

E. Laubach

Appellant contended that the knobs of Laubach are rigidly connected to the steering wheel by the screws 5, thus, the knobs are meant remain in place in operation. Nevertheless, common sense teaches that the driver can unscrew Laubach's screws 5, and then screw or fasten the screws 5 at other position on the rim 6 of the steering wheel as the driver so desires. In other words, the position of Laubach's knobs is capable of being changed. As such, Laubach's knobs can inherently perform the functions recited in Appellant's claim. *In re Schreiber*, 128 F.3d 1437, 44 USPQ2d 1429 (Fed. Cir. 1997).

Appellant further asserted that the knob of Laubach does not deform out of interference with the operation of the steering wheel as set forth in claim 14. The Examiner respectfully submits that the driver can unscrew Laubach's screws 5, and then screw or fasten the screws 5 at other position on the rim 6 of the steering wheel such that the new position is out of interference with the operation of the steering wheel as the driver so desires. The operation to adjust or change the position of Laubach's handgrips is similar to the operation to adjust the handgrip of Arsdel since both Laubach and Arsdel use the screws as the fastening means. Since the position of Laubach's knobs is capable of being changed to be out of interference with the operation of the steering wheel, therefore, Appellant's claims are anticipated by Laubach. *In re Schreiber*; *Ex parte Masham*; and MPEP 2114, *supra*.

F. Obviousness-type Double Patenting

Appellant promised on page 3 of the brief that Appellant will file a terminal disclaimer to overcome the obviousness-type double patenting rejection. Appellant's promise without consideration does not overcome the current obviousness-type double patenting.

CONCLUSION

For the above reasons, it is believed that the rejections should be sustained.

12. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vinh T. Luong whose telephone number is 571-272-7109. The examiner can normally be reached on Monday - Thursday.

Application/Control Number:
10/727,306
Art Unit: 3682

Page 16

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Luong

November 19, 2007



Vinh T. Luong
Primary Examiner

Application/Control Number:
10/727,306
Art Unit: 3682

Page 17

ATTACHMENT 1


May 24, 1938.

E. VAN ARSDEL

2,118,540

AUTO STEERING WHEEL HANDGRIP

Filed May 10, 1937



Application/Control Number:
10/727,306
Art Unit: 3682

Page 18

ATTACHMENT 2


Oct. 25, 1938.

I. A. ANSON

2,134,020

STEERING WHEEL ATTACHMENT

Filed Sept. 30, 1937



Application/Control Number:
10/727,306
Art Unit: 3682

Page 19

ATTACHMENT 3

March 9, 1926.


1,575,848

C. E. E. LAUBACH

STEERING WHEEL

Filed July 13, 1925

Fig. 1.



PLANE/FACE

Fig. 2.





Fig. 3.



WITNESSES

Eugene Spring

Inventor
CLINTONE E. LAUBACH

By

Richard B. Brown

Attorney